Organic Manure 11KW Horizontal Feed Mixer Animal Feed Mixing Machine

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- CE,ISO TDWJ-7015 1 According to customer requirements 5-7 days delivery L/C, D/A, D/P, T/T, Western Union, MoneyGram

China TONGDA



Product Specification

- Application:
- Power:
- Raw Material:
- Range Of Spindle Speed(r.p.m):
- Material:
- Barrel Volume (L):
- Highlight:

Organic Fertilizer Machine Manufacturer 11 KW

Organic Manure

100 units per month

40 - 70 R.p.m

SUS304, SUS304L, SUS316 1350 L

11KW Horizontal Feed Mixer, 11KW Animal Feed Mixing Machine, Organic manure Horizontal Feed Mixer



More Images





for more products please visit us on organicfertilizerequipment.com

Product Description

High Productivity Horizontal Feed Mixer Fertilizer Production Animal Feed Mixing Machine

This series of horizontal mixing(blending) machine is a new generation of mixing equipment which developed by our company. It has high mixing degree and less residue. It is suitable for mixing organic and inorganic fertilizer. The specific features as following: the material can be fully mixed, thus improving the mixing uniformity; the new rotor structure be used to make the gap between the rotor and the casing close to zero, thus effectively reducing the residual amount the material; the special rotor design of the machine can also break the larger material, the overall structure is more reasonable, the appearance is beautiful, and the operation and maintenance are convenient.

Performance characteristics:

1. Fast mixing speed with good uniformity.

2. Widely application

3. Fast speed discharging and less residue.

Model	TDWJ-7015	TDWJ-9015	TDWJ-1630
Dimensions(mm)	2350*1200*1000	2300*1200*1000	3950*1720*2100
Motor Power(kw)	7.5	11	22
Speed Reducer Model	ZQ350-23.34	ZQ350-23.34	ZQ500-48.57
Stirring Speed(r/min)	46	39	21
Main Plate Thickness(mm)	4	4	10
Capacity(t/h)	2-3	3-5	10-15

Working principle:

Horizontal barrel body with rotating reverse the blade, the pulp into a certain angle of the material along the axial, radial cycle stir, so that the material quickly mixed. It shortens the mixing period with more efficient. Even if the material has a specific gravity and difference particle size, it will also achieve a good mixing effect in the staggered arrangement of the mixing blade fast and by the violent throwing thrown.



FAQ:

1. Are you trading company or manufacturer ?

We are a manufacturer with a history over 40 years and have realized one-stop service for design, manufacture, installation, debugging and technical training.

2. How long is the delivery time?

For standard machines or Components, it would be 5-10 days; For non-standard machines and customized machines according to clients specific requirements, it would be appointment time.

3. Do you arrange shipment for the machines?

Yes, we will do that. For FOB or CIF price, we will arrange shipment for you. For EXW price, we will assist you in arranging shipment.

4. How about your product after-sales service?

Normally we provide video and written technical support. If necessary, our engineers can also provide on-site service. Our product accessories can be selected according to the actual needs of the customer to choose the most appropriate way to deliver.

5. What kinds of certificate you have?

ISO 9001: 2015 SGS and we can make other certificates according to customers' detailed requirements.

6. How to guarantee the quality and operation before loading?

+8618538527111

0

We have our own quality control department and have advance quality control stystem while from raw materials to finished products. All the machines and production lines shall be 100% checked and tested before delivery.



© organicfertilizerequipment.com

admin@hntdfertilizermachine.com