1TPH Cow Manure Fertilizer Granulator Organic Fertilizer Making Machine

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- TDJZ-600 1 According to customer requirements 5-10 days L/C, D/A, D/P, T/T, Western Union, MoneyGram 100 units per month

China

TONGDA

CE,ISO



Product Specification

- Product Name:
- Machine Type:
- Production Capacity:
- Applicable Materials:
- Power:
- Core Components:
- Highlight:

1-8ton/h
Organic Fertilizer, Compound Fertilizer, Compound Fertilizer
55KW

Stirring Teeth Granulator

Granulator

- PLC, Engine, Bearing, Gearbox
 - 1TPH Cow Manure Fertilizer Granulator, 1TPH Organic Fertilizer Making Machine, Cow Manure Fertilizer Granulator Machine



More Images



Product Description

Cow Manure Fertilizer Granulator Production Line Organic Fertilizer Making Machine

The wet type stirring granulator uses the mechanical stirring force of high-speed rotation and the resulting aerodynamic force to enable the continuous mixing, granulation, spheroidization, densification and other processes of fine powdery materials in the machine, so as to achieve the purpose of granulation. This granulation method makes the granulation rate higher, the granules more beautiful, and saves energy.

Model	TDJZ-600	TDJZ-800	TDJZ-1000	TDJZ-1200	TDJZ-1500
Installation Angle	2°-2.5°	2°-2.5°	2°-2.5°	2°-2.5°	2°-2.5°
Capacity(t/h)	1-1.5	1.5-2.5	2-4	4-6	6-8
Total Power(kw)	37	55	75	90	110
Moisture Of Feeding Material	35%-45%	35%-45%	35%-45%	35%-45%	35%-45%
Size Of Feeding Material (mesh)	50	50	50	50	50
Dimensions	4100*1600*1150	4250*1850*13 00	4700*2350*16 00	4900*2550*18 00	5500*2800*2 000

Performance characteristics:

1. The principle is simple and the granulation speed is fast.

2. High granulation quality.

3. No binder is needed, the organic particles can be inlaid with each other under a certain force, and granulation does not require the addition of binder.

4. A wide range of materials come from livestock and poultry manure. Heap fertilizer, green fertilizer, sea fertilizer, cake fertilizer, peat, etc. The organic fertilizer stirring granulator is designed and manufactured by the wet continuous push rod granulation process. This machine can not only granulate a variety of organic substances, especially coarse fiber materials that are difficult to granulate with conventional equipment, such as crop straw, wine residue, bacterial residue, drug residue, animal manure, etc., but also granulate raw materials such as humic acid and urban sludge after fermentation.



FAQ:

1. Are you trading company or manufacturer ?

We are a manufacturer with a history over 40 years and have realized one-stop service for design, manufacture, installation, debugging and technical training.

2. How long is the delivery time?

For standard machines or Components, it would be 5-10 days; For non-standard machines and customized machines according to clients specific requirements, it would be appointment time.

3. Do you arrange shipment for the machines?

Yes, we will do that. For FOB or CIF price, we will arrange shipment for you. For EXW price, we will assist you in arranging shipment.

4. How about your product after-sales service?

Normally we provide video and written technical support. If necessary, our engineers can also provide on-site service. Our product accessories can be selected according to the actual needs of the customer to choose the most appropriate way to deliver.

5. What kinds of certificate you have?

ISO 9001: 2015 SGS and we can make other certificates according to customers' detailed requirements.

6. How to guarantee the quality and operation before loading?

We have our own quality control department and have advance quality control stystem while from raw materials to finished products. All the machines and production lines shall be 100% checked and tested before delivery.



Xingyang Longgang Development Zone