



Horizontal Blender Fertilizer Mixing Equipment Animal Manure Mixing Machine

Our Product Introduction

for more products please visit us on organicfertilizerequipment.com

Basic Information

- Place of Origin: China
- Brand Name: TONGDA
- Certification: CE, ISO
- Model Number: TDWJ-0915
- Minimum Order Quantity: 1
- Packaging Details: According to customer requirements
- Delivery Time: 5-7 days delivery
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100 units per month



Product Specification

- Applicable Materials: Organic Fertilizer, Compound Fertilizer, Compound Fertilizer
- Raw Material: Organic Manure
- Range Of Spindle Speed(r.p.m): 40 - 70 R.p.m
- Material: SUS304, SUS304L, SUS316
- Product Name: Horizontal Mixer Machine
- Mixing Output (ton/h): 3-5
- Highlight: **Horizontal Blender Fertilizer, Blender Fertilizer Mixing Equipment, Animal Manure Mixing Machine**



More Images



Product Description

Horizontal Animal Feed Power Mixer Making Machine Fertilizer Raw Materials Blender

The horizontal organic fertilizer mixer is an organic fertilizer mixing equipment in the whole set of organic fertilizer production line. It plays the role of mixing materials in the organic fertilizer production line. Horizontal Mixer The fertilizer mixer adopts the U-shaped semi cylinder horizontal placement form, and the body is welded with steel plates, which is solid and durable. The interior is a ribbed paddle structure. The bearings are at both ends of the U-shaped cylinder, and the mixer motor is connected through the reducer. At the same time, it is equipped with a feeding elevator. The materials are uniformly mixed through the overall movement of the reverse spiral belt and external blades. It is equipped with two discharge ports, which are suitable for different material receiving methods. The discharge port at one end is used for loading large bags. The filling machine in the middle is designed for valve bags. The valve bags are automatically sealed after being filled, which is convenient, fast and labor saving. It is a new generation mixing equipment of our company. High mixing uniformity and less residue, suitable for mixing of formulated feed, concentrated feed and additive premix.

Model	TDWJ-7015	TDWJ-9015	TDWJ-1630
Dimensions(mm)	2350*1200*1000	2300*1200*1000	3950*1720*2100
Motor Power(kw)	7.5	11	22
Speed Reducer Model	ZQ350-23.34	ZQ350-23.34	ZQ500-48.57
Stirring Speed(r/min)	46	39	21
Main Plate Thickness(mm)	4	4	10
Capacity(t/h)	2-3	3-5	10-15

Characteristic:

1. The materials are fully mixed. Thus, the mixing uniformity is improved;
2. The novel rotor structure is adopted, and the clearance between the rotor and the housing can be adjusted to close to zero, effectively reducing the residual amount of materials;
3. The overall structure is more reasonable, the appearance is beautiful, and the operation and maintenance are convenient;
4. It is used for the mixing and mixing of interior and exterior wall putty powder, plastering gypsum, dry powder adhesive, dry powder mortar, masonry mortar, mortar king, wear-resistant floor and various cellulose and dry powder chemical materials in building materials, chemical industry and other industries;
5. The whole set of equipment has reasonable design, excellent performance, simple operation, short mixing period, high efficiency, tight sealing, low noise, high dust collection efficiency, high power system safety factor, safe transmission system lock catch, and all high altitude operations are protected by guardrails;
6. It is a large horizontal mixing equipment with reasonable design, safety and reliability;



FAQ:

1. Are you trading company or manufacturer ?

We are a manufacturer with a history over 40 years and have realized one-stop service for design, manufacture, installation, debugging and technical training.

2. How long is the delivery time?

For standard machines or Components, it would be 5-10 days; For non-standard machines and customized machines according to clients specific requirements, it would be appointment time.

3. Do you arrange shipment for the machines?

Yes, we will do that. For FOB or CIF price, we will arrange shipment for you. For EXW price, we will assist you in arranging shipment.

4. How about your product after-sales service?

Normally we provide video and written technical support. If necessary, our engineers can also provide on-site service. Our product accessories can be selected according to the actual needs of the customer to choose the most appropriate way to deliver.

5. What kinds of certificate you have?

ISO 9001: 2015 SGS and we can make other certificates according to customers' detailed requirements.

6. How to guarantee the quality and operation before loading?

We have our own quality control department and have advance quality control system while from raw materials to finished products. All the machines and production lines shall be 100% checked and tested before delivery.



TONGDA HEAVY

Henan Tongda Heavy Industry Science And Technology Co., Ltd.



+8618538527111



admin@hntdfertilizermachine.com



organicfertilizerequipment.com

Xingyang Longgang Development Zone