Fully Automatic Crawler Compost Turner Organic Fertilizer Equipment 2600mm Width

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 1 According to customer requirements 10-15 days L/C, D/A, D/P, T/T, Western Union, MoneyGram 100 units per month



Product Specification

- Product Name:
- Turning Width:
- Equipment Type:
- Stack Row Spacing:
- Function:
- Highlight:

- Crawler Type Compost Turner
- 2600mm

China

TONGDA

TDLDF-2600

ISO,CE

- Fermentation Equipment
- acing: 800-1000mm
 - Compost Turner Mixing Machine
 - Fully Automatic Crawler Compost Turner, 2600mm Crawler Compost Turner, Crawler Compost Organic Fertilizer Equipment



More Images





for more products please visit us on organicfertilizerequipment.com

Product Description

Farm Machinery Tractors Fully Automatic Machine Farming Crawler Type Compost Turner

The bio organic fertilizer dumper is a kind of bio organic fertilizer that can be used to produce green and environmental protection and improve soil quality from pollutants such as poultry manure, agricultural waste, sugar factory filter mud, sludge, and domestic waste through the principle of aerobic fermentation. It can be heated in one day, deodorized in 3-5 days, sterilized (it can kill worms, eggs, bacteria, etc. in feces), and fertilized in seven days, which is faster and more efficient than other mechanical methods. According to customer requirements, some auxiliary facilities can also be added, such as automatic bacteria spraying device.

At present, the ground stacking fermentation mode is a fertilizer making mode that saves civil engineering and human resources. The materials shall be stacked in long strips, and the material shall be stirred and broken regularly by the stacker, and the organic matter shall be decomposed under aerobic conditions. It also has the function of crushing, greatly saving time and labor, significantly improving the production efficiency and product quality of the organic fertilizer plant, and greatly reducing the cost. When the agitator is working, it can effectively mix materials such as sludge and viscous chicken manure with bacteria and straw powder. It creates a better aerobic environment for material fermentation. It is not only much faster than deep tank fermentation, but also effectively prevents the production of hydrogen sulfide, amine gas, indole and other harmful and malodorous gases during fermentation, meeting the environmental requirements.

Product features:

1. This product adopts mechanical intelligence technology, which can set the running speed of wheels and dump shafts according to the nature of materials.

2. Sufficient power and low fuel consumption.

3. The walking direction of the tipper is the pull rod type in-situ turning steering technology, and the 360 ° sharp turning steering device, with flexible steering, small floor area and convenient site operation.

4. All electric button switches and levers are used for operation, which is flexible and simple.

5. Adjust the distance between the stacking shaft and the ground hydraulically to prevent the stacking shaft knife from touching the ground.

| Model | TDLDF-2400 | TDLDF-2600 | TDLDF-3000 | TDLDF-3000 (Full Hydraulic) |
|---|------------|------------|------------|--------------------------------|
| Turning Width(mm) | 2400 | 2600 | 3000 | 3000 |
| Turning Height(mm) | 600-1000 | 1100-1300 | 1300-1500 | 1600-1800 |
| Row Spacing(mm) | 800-1000 | 800-1000 | 800-1000 | 100-1000 |
| Max.Diameter of Material Particles(mm) | 250 | 250 | 250 | 250 |
| Power(horsepower) | 75 | 116 | 136 | 143 |
| Working Knife Diameter(mm) | 400 | 500 | 500 | 800 |
| Working Speed(m/min) | 6-10 | 6-10 | 6-10 | 6-10 |
| Capacity(m ³ /h) | 500-700 | 1000-1200 | 1300-1500 | 1500-1800 |

At present, the ground stacking fermentation mode is a fertilizer making mode that saves civil engineering and human resources. The materials shall be stacked in long strips, and the material shall be stirred and broken regularly by the stacker, and the organic matter shall be decomposed under aerobic conditions. It also has the function of crushing, greatly saving time and labor, significantly improving the production efficiency and product quality of the organic fertilizer plant, and greatly reducing the cost. When the agitator is working, it can effectively mix materials such as sludge and viscous chicken manure with bacteria and straw powder. It creates a better aerobic environment for material fermentation. It is not only much faster than deep tank fermentation, but also effectively prevents the production of hydrogen sulfide, amine gas, indole and other harmful and malodorous gases during fermentation, meeting the environmental requirements.



FAQ:

1. Are you trading company or manufacturer ?

We are a manufacturer with a history over 40 years and have realized one-stop service for design, manufacture, installation, debugging and technical training.

2. How long is the delivery time?

For standard machines or Components, it would be 5-10 days; For non-standard machines and customized machines according to clients specific requirements, it would be appointment time.

3. Do you arrange shipment for the machines?

Yes, we will do that. For FOB or CIF price, we will arrange shipment for you. For EXW price, we will assist you in arranging shipment.

4. How about your product after-sales service?

for more products please visit us on organicfertilizerequipment.com

| product accessories can be selected a deliver. 5. What kinds of certificate you have? ISO 9001: 2015 SGS and we can mak 6. How to guarantee the quality and open We have our own quality control depa | technical support. If necessary, our engineers can also provide on-site service. Our according to the actual needs of the customer to choose the most appropriate way to the other certificates according to customers' detailed requirements. ation before loading? rtment and have advance quality control stystem while from raw materials to finished stion lines shall be 100% checked and tested before delivery. | | | |
|--|--|--|--|--|
| TONGDA HEAVY Henan Tongda Heavy Industry Science And Technology Co., Ltd. | | | | |
| +8618538527111 | admin@hntdfertilizermachine.com Organicfertilizerequipment.com Xingyang Longgang Development Zone | | | |