



1200m³/H Windrow Composting Machine Crawler Industrial Compost Turner

Our Product Introduction

for more products please visit us on organicfertilizerequipment.com

Basic Information

- Place of Origin: China
- Brand Name: TONGDA
- Certification: ISO, CE
- Model Number: TDLDF-2500
- Minimum Order Quantity: 1
- Packaging Details: According to customer requirements
- Delivery Time: 3-7 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100 units per month



Product Specification

- Product Name: Crawler Type Compost Turner
- Compost Width: 2600mm
- Stacking Line Spacing: 0.8-1m
- Working Speed: 6-10m/min
- Application: Composting Machine
- Capacity: 400-1200m³/h
- Highlight: 1200m³/H Windrow Composting Machine, compost turner windrower, Crawler Industrial Compost Turner



More Images



Product Description

Crawler Type Compost Fertilizer Turner for Cow Manure Windrow Compost Turning Machine

The windrow compost turning machine is used for stacking type fermenting technology on the ground. It is a special machine for turning, braking, supplying oxygen and piling up materials.

1. The machine can be set the running speed of the wheel and turning axis according to the nature of the material, and get the right yield and quality.
2. The power is a vertical water-cooled diesel engine with sufficient power, high efficiency and low fuel consumption.
3. The turning direction is in the direction of pull bar, and the turning is flexible, small area, and the convenient operation.
4. Using the electric button switch, joystick operation, flexible and simple.
5. According to the customer's request, the distance between the axis and the ground can be adjusted by hydraulic pressure to prevent the turning of the turning shaft.

Model	TDLDF-2400	TDLDF-2600	TDLDF-3000	TDLDF-3000 (Full Hydraulic)
Turning Width(mm)	2400	2600	3000	3000
Turning Height(mm)	600-1000	1100-1300	1300-1500	1600-1800
Row Spacing(mm)	800-1000	800-1000	800-1000	100-1000
Max.Diameter of Material Particles(mm)	250	250	250	250
Power(horsepower)	75	116	136	143
Working Knife Diameter(mm)	400	500	500	800
Working Speed(m/min)	6-10	6-10	6-10	6-10
Capacity(m ³ /h)	500-700	1000-1200	1300-1500	1500-1800

Main features:

1. Save the site, labor, diesel, shorten the working time, and advance the fermentation cycle.
2. the installation of the front hydraulic material push plate, no need to manually consume the whole pile.
3. The lever operation is easier, the steering wheel type is eliminated, and the device can turn around in the same place.
4. Hydraulic lifting of the stacking drum, the speed can be adjusted according to the water level of the material.
5. the use of brand-name diesel engine, gearbox and rubber track, to ensure the national after-sales warranty.
6. Adapt to any site operation (land or concrete floor) without damaging the ground.



FAQ:

Q: Can I use this production line to produce multi granularity particles?

Yes, our production line is multifunctional. We can customize ring moulds of different sizes. In this way, you can easily adjust the size of your ball.

Q: I know little about the fertilizer production line. How to choose the most suitable machine?

Just tell us your raw materials, capacity (tons / hour) and the size of the final particle product, and we will choose the machine for you according to your specific situation.

Q: Our workers don't know how to operate the production line. What should I do?

Our engineers will guide on-site workers on how to install machines and build workshops. Then, our engineers will test the production line on site and train your workers how to operate it.

Q: Are you a trading company or a manufacturer?

We have a large factory in Jiaozuo, China, covering an area of 10000 square meters. Welcome to visit.

Q: What's the Production Period of the Fertilizer Machine?

For single fertilizer machine, our production time is 7 days;and for whole fertilizer production line, our production time is no more than 30 days.

Q: What's the Quality Guarantee and Certifications?

all of our machine have passed ISO and CE certification, we can guarantee the highest quality and our warranty time is 5 years after shipment date.



TONGDA HEAVY

Henan Tongda Heavy Industry Science And Technology Co., Ltd.



+8618538527111



admin@hntdfertilizermachine.com



organicfertilizerequipment.com

Xingyang Longgang Development Zone