China TONGDA

CE,ISO

1.5TPH Semi Wet Fertilizer Crusher Agricultural Compost Shredders

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- TDSF-40 1 According to customer requirements 5-10 days L/C, D/A, D/P, T/T, Western Union, MoneyGram 100 units per month



Product Specification

- Machine Name:
- Capacity:
- Keyword:
- Application:
- Feed Size:
- Max Feeding Size:
- Highlight:

- Semi-wet Crusher Machine
- 1-1.5ton/h
- Fertilizer Crusher
- Farm, Organic Fertilizer Production
- ≤60mm
- : 120mm
- 1.5TPH Semi Wet Fertilizer Crusher, Agricultural Compost Shredders, Agricultural Semi Wet Fertilizer Crusher



Our Product Introduction

Product Description

Chicken Waste Compost Shredder Bio Fertilizer Semi Wet Fertilizer Crusher Machine

The allowable value of the semi-wet material crusher for the biological fermented organic fertilizer material reaches 25-50%, which can shorten the production cycle of organic fertilizer and mixed fertilizer, greatly save the cost, is an indispensable equipment for the organic fertilizer production line.

The semi-wet material crusher can be adjusted within a certain range according to the crushing degree required by the user.

The crushed material can be finer in size and can reach less than 3 mm. The semi-wet material crusher has low requirements on materials, and the moisture range can reach 35%, especially for the fermented organic matter.

Model	Power(kw)	Capacity(t/h)	Crushing Granularity(mes h)	Inlet Size(mm)	Dimensions(mm)
TDSF-40	22	1-1.5	50	400*240	1200*1350*900
TDSF-40II	22*2	1-1.5	80	400*240	1250*1600*1300
TDSF-60	30	1.5-3	50	500*300	1300*1450*1300
TDSF-60II	30*2	1.5-3	80	500*300	1500*2150*1920
TDSF-90	37	3-5	50	550*410	1800*1550*1700
TDSF-120	75	5-8	50	650*500	2100*2600*2130

Characteristics of Performance:

1. Wide application and high reliability. This machine does not have the bottom with screen, so more than 100 kinds of materials can be crushed and the machine will never blocked.

2.Simple maintenance. This machine adopts the two-way gap technology. If the hammer is worn, then the hammer can be used again after moving its position.

3.Good crushing effect. The machine uses the two-stage pulverized rotor, and the material first is crushed into small particles and then crushed into fine dust.

4.Saving labor, and the operation is simple. It uses high-tech technology, only one person can operate easily, not only is safe and reliable, but also facilitate maintenance.



FAQ:

Q: Can I use this production line to produce multi granularity particles?

Yes, our production line is multifunctional. We can customize ring moulds of different sizes. In this way, you can easily adjust the size of your ball.

<u>Q: I know little about the fertilizer production line. How to choose the most suitable machine?</u>

Just tell us your raw materials, capacity (tons / hour) and the size of the final particle product, and we will choose the machine for you according to your specific situation.

Q: Our workers don't know how to operate the production line. What should I do?

Our engineers will guide on-site workers on how to install machines and build workshops. Then, our engineers will test the production line on site and train your workers how to operate it.

Q: Are you a trading company or a manufacturer?

We have a large factory in Jiaozuo, China, covering an area of 10000 square meters. Welcome to visit.

Q: What's the Production Period of the Fertilizer Machine?

For single fertilizer machine, our production time is 7 days; and for whole fertilizer production line, our production time is no more than 30 days.

Q: What's the Quality Guarantee and Certifications?

+8618538527111

all of our machine have passed ISO and CE certification, we can guarantee the highest quality and our warranty time is 5 years after shipment date.



© organicfertilizerequipment.com

admin@hntdfertilizermachine.com