

15TPH 20TPH Fertilizer Crushing Machine Organic Vertical Crusher Machine

Basic Information

Place of Origin: China
Brand Name: TONGDA
Certification: ISO,CE
Model Number: TDFLF-600

Minimum Order Quantity:

• Packaging Details: According to customer requirements

• Delivery Time: 5-10 days

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

Supply Ability: 100 units per month



Product Specification

Machine Type: Fertilizer Vertical CrusherUsage: Organic Fertilizer Crushing

Feeding Size (mm): 50 - 80 Mm
 Maximum Size Input ≤60 Mm Materials:

• Fuction: Crush Raw Material

• Core Components: PLC

Highlight: Organic Vertical Crusher Machine,
 20TPH Fertilizer Crushing Machine,

15TPH Fertilizer Crushing Machine



Product Description

Multifunctional Vertical Crusher Organic Fertilizer Chicken Manure Crushing Machine

Fertilizer vertical crusher is suitable for crushing the large material on organic fertilize production and compound fertilizer production. This machine adopts synchronous speed high strength weare resisting hard alloy chain plate, inlet and outlet design is reasonable, crushing material evenly, not easy to stick wall, easy clean.

Features:

- 1. Specifically Designed for crushing oversize compound and organic materials efficiently and at high rates of production.
- 2. Reduce the frequency change chain, to improve the production efficiency.
- 3. Fertilizer vertical crusher is easy to operate, strong practicability.
- 4. Easy to operate, energy saving.

Model	Power (kw)	Production Capacity (t/h)	Inlet Size (mm)	Dimensions (mm)
TDFLF-600	22	3-5	400*400	1300*750*1900
TDFLF-800	30	5-8	600*400	1800*1020*2100
TDFLF-1000	37	8-15	650*450	1800*1200*2500
TDFLF-1200	55	15-20	1200*800	2300*1500*3400

Product advantages:

- 1. Raw material dealing: Gypsum, coal gangue, slag, copper ore,compound fertilizer, etc, especially material with higher moisture content.
- 2. Application: organic and ompound fertilizer production line.
- 3. Capacity: 10-160t/h.
- 4. Advantages: Simple and reasonable structure, low running cost; high broken rate, energy saving; less affected by material moisture content; noise below 75dB, less dust pollution; suitable for crushing medium hard and hard materials.



FAQ:

Q: Can I use this production line to produce multi granularity particles?

Yes, our production line is multifunctional. We can customize ring moulds of different sizes. In this way, you can easily adjust

Q: I know little about the fertilizer production line. How to choose the most suitable machine?

Just tell us your raw materials, capacity (tons / hour) and the size of the final particle product, and we will choose the machine for you according to your specific situation.

Q: Our workers don't know how to operate the production line. What should I do?

Our engineers will guide on-site workers on how to install machines and build workshops. Then, our engineers will test the production line on site and train your workers how to operate it.

Q: Are you a trading company or a manufacturer?

We have a large factory in Jiaozuo, China, covering an area of 10000 square meters. Welcome to visit.

Q: What's the Production Period of the Fertilizer Machine?

For single fertilizer machine, our production time is 7 days; and for whole fertilizer production line, our production time is no more than 30 days.

Q: What's the Quality Guarantee and Certifications?

all of our machine have passed ISO and CE certification, we can guarantee the highest quality and our warranty time is 5 years after shipment date.



TONGDA HEAVY Henan Tongda Heavy Industry Science And Technology Co., Ltd.









