## Double Roller Extrusion Pellet Granulator Machine Bio Fertilizer Granules Making

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

| China   |
|---|
| TONGDA  |
| ISO,CE  |
| TDJZ-1.5T                                       |
| 1 set   |
| Negitionable                                    |
| According to customer requirements              |
| 7-15 days                                       |
| L/C, D/A, D/P, T/T, Western Union,<br>MoneyGram |



## **Product Specification**

• Name:

Capacity:

• Power:

Voltage:Application:

• Granule Size:

Double Roller Extrusion Pellet Granulator Machine 1-1.5ton/h 3/4/5/6mm 11-45kw 220V/380V Making Compound Fertilizer,chemical Fertilizer

**Double Roller Extrusion Pellet Granulator** 

, Bio Fertilizer Granules Making Machine, 380V Extrusion Pellet Granulator Machine

Machine

100 units per month

Highlight:

# MOLD DISPLAY









Round particle roller skin

Heart-shaped particle rolle

### **Product Description**

#### Bio Fertilizer Granules Making Double Roller Extrusion Pellet Granulator Machine

The double roller extrusion pellet granulator machine is the key equipment for granulating ammonium chloride, ammonium sulfate and compound fertilizer. It has advanced technology, reasonable design, compact structure, novel and practical, low energy consumption. It is matched with corresponding equipment to form a small production line. It can form a continuous and mechanized production with a certain capacity.

| Model     | Power(kw) | Granule<br>Diameter(mm) | Roller Sheet<br>Size(mm) | Dimensions(mm) |
|-----------|-----------|-------------------------|--------------------------|----------------|
| TDJZ-1T   | 15        | 3-10                    | 150*220                  | 1450*800*1450  |
| TDJZ-1.5T | 22        | 3-10                    | 150*300                  | 1450*850*1500  |
| TDJZ-2T   | 30        | 3-10                    | 185*300                  | 1630*850*1650  |
| TDJZ-3T   | 37        | 3-10                    | 300*300                  | 1850*1100*2050 |

It adopts eugenic formula, does not need to be dried, and is produced at room temperature. The product is formed by rolling at one time, so that the product quality meets the technical index requirements of compound fertilizer. It is a special compound fertilizer and compound fertilizer industry for the production of various crops with high, medium and low concentrations. Renewal products for energy saving and consumption reduction.

#### Double Roller Extrusion Pellet Granulator Machine:

It can be used for granulation in fertilizer, feed, and chemical industries, and it is especially suitable for rare earth, metallurgy, coal, biological preparations, and environmental protection projects.

The shape and size of the ball and socket on the die of the roller extrusion granulator can be selected according to user needs, and there are a wide range of options. The ball press shapes include pillow shape, semi-circular pellet shape, rod shape, tablet pill shape, walnut shape, oblate ball shape and Square shape.



#### FAQ:

#### 1. Are you trading company or manufacturer ?

We are a manufacturer with a history over 40 years and have realized one-stop service for design, manufacture, installation, debugging and technical training.

#### 2. How long is the delivery time?

For standard machines or Components, it would be 5-10 days; For non-standard machines and customized machines according to clients specific requirements, it would be appointment time.

#### 3. Do you arrange shipment for the machines?

Yes, we will do that. For FOB or CIF price, we will arrange shipment for you. For EXW price, we will assist you in arranging shipment.

#### 4. How about your product after-sales service?

Normally we provide video and written technical support. If necessary, our engineers can also provide on-site service. Our product accessories can be selected according to the actual needs of the customer to choose the most appropriate way to deliver.

#### 5. What kinds of certificate you have?

ISO 9001: 2015 SGS and we can make other certificates according to customers' detailed requirements.

#### 6. How to guarantee the quality and operation before loading?

We have our own quality control department and have advance quality control stystem while from raw materials to finished products. All the machines and production lines shall be 100% checked and tested before delivery.



+8618538527111

admin@hntdfertilizermachine.com

© organicfertilizerequipment.com

Xingyang Longgang Development Zone

for more products please visit us on organicfertilizerequipment.com