



Automatic Crawler Type Compost Turner Machine For Organic Manure

Our Product Introduction

for more products please visit us on organicfertilizerequipment.com

Basic Information

- Place of Origin: China
- Brand Name: TONGDA
- Certification: ISO,CE
- Model Number: TDLDF-2600
- Minimum Order Quantity: 1
- Packaging Details: According to customer requirements
- Delivery Time: 10-15 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100 units per month



Product Specification

- Product Name: Organic Manure Compost Turner Machine
- Production Capacity: 900-1100 Cubic Meters Per Hour
- Compost Width: 2600mm
- Compost Height: 1000mm-1300mm
- Working Speed: 6-10m/min
- Highlight: automatic compost turner machine, crawler type compost turner machine, organic manure compost windrow turner



Product Description

Automatic Crawler Type Compost Turner Organic Manure Compost Turner Machine

Introduction of windrow compost turning machine:

The windrow compost turning machine is used for stacking type fermenting technology on the ground. It is a special machine for turning, braking, supplying oxygen and piling up materials.

1. The machine can be set the running speed of the wheel and turning axis according to the nature of the material, and get the right yield and quality.
2. The power is a vertical water-cooled diesel engine with sufficient power, high efficiency and low fuel consumption.
3. The turning direction is in the direction of pull bar, and the turning is flexible, small area, and the convenient operation.
4. Using the electric button switch, joystick operation, flexible and simple.
5. According to the customer's request, the distance between the axis and the ground can be adjusted by hydraulic pressure to prevent the turning of the turning shaft.

Model	TDLDF-2400	TDLDF--2600	TDLDF--2800	TDLDF--3000
Turning Width(mm)	2400	2600	2800	3000
Turning Depth(mm)	600-1000	1000-1300	1100-1400	1300-1500
Windrow Spacing (mm)	800-1000	800-1000	800-1000	800-1000
Maximum Diameter of Material Particles (mm)	250	250	250	250
Horsepower(hp)	85	116	123	156
Working Knife Diameter(mm)	400	500	500	500
Working Speed (m/min)	6-10	6-10	6-10	6-10
Capacity(m3/h)	500-700	1000-1200	1100-1300	1300-1500

Main features of crawler turner equipment:

1. The installation of the front hydraulic material push plate, no need to manually consume the whole pile;
2. Save the site, labor, diesel, shorten the working time, and advance the fermentation cycle.
3. The lever operation is easier, the steering wheel type is eliminated, and the device can turn around in the same place;
4. Hydraulic lifting of the stacking drum, the speed can be adjusted according to the water level of the material;
- 5, the use of brand-name diesel engine, gearbox and rubber track, to ensure the national after-sales warranty;
6. Adapt to any site operation (land or concrete floor) without damaging the ground.

Other organic fertilizer compost turner machines:

1. **Groove type compost turner** is usually called rail type compost turner, etc. It can be used for the fermentation of livestock manure, sludge and garbage, filter mud from sugar mill, worse slag cake and straw sawdust and other organic waste. The machine is widely used in organic fertilizer plant, compound fertilizer plant, sludge and garbage plant, horticultural farm and bisporus plant for fermentation and the removal of water.
2. **Forklift type compost turner** is the patent product of our company. It is suitable for the fermentation with small scale of livestock manure, sludge and garbage, filter mud from sugar mill, worse slag cake and straw sawdust and other organic waste. The machine is also widely used in organic fertilizer plant, compound fertilizer plant, sludge and garbage plant, horticultural farm and bisporus plant for fermentation and the removal of water.
3. **Self-moving type compost turner (moving type compost turner)** is the main engine in the production of bio organic fertilizer special equipment. The machine takes four-wheel walking design, and it can move forward, backward and turn around, and is controlled by one person. The machine is mounted on a prebuilt long strip of fertilizer base, and the rotary knife shaft mounted under the frame of the machine is used to turn, loosen, move, finally the car pass and become a new rickety pile. The machine can not only be opened in the open space, but also be carried out in the workshop.



FAQ:

1. Are you trading company or manufacturer ?

We are a manufacturer with a history over 40 years and have realized one-stop service for design, manufacture, installation, debugging and technical training.

2. How long is the delivery time?

For standard machines or Components, it would be 5-10 days; For non-standard machines and customized machines according to clients specific requirements, it would be appointment time.

3. Do you arrange shipment for the machines?

Yes, we will do that. For FOB or CIF price, we will arrange shipment for you. For EXW price, we will assist you in arranging shipment.

4. How about your product after-sales service?

Normally we provide video and written technical support. If necessary, our engineers can also provide on-site service. Our product accessories can be selected according to the actual needs of the customer to choose the most appropriate way to deliver.

5. What kinds of certificate you have?

ISO 9001: 2015 SGS and we can make other certificates according to customers' detailed requirements.

6. How to guarantee the quality and operation before loading?

We have our own quality control department and have advance quality control system while from raw materials to finished products. All the machines and production lines shall be 100% checked and tested before delivery.



TONGDA HEAVY

Henan Tongda Heavy Industry Science And Technology Co., Ltd.



+8618538527111



admin@hntdfertilizermachine.com



organicfertilizerequipment.com

Xingyang Longgang Development Zone