

45kw Organic Fertilizer Granulation machine Double Roller Extrusion Granulator

Basic Information

Place of Origin: China
Brand Name: TONGDA
Certification: ISO,CE
Model Number: TDJZ-1.5T
Minimum Order Quantity: 1 set

• Price: Negitionable

Packaging Details: According to customer requirements

• Delivery Time: 7-15 days

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 100 units per month



Product Specification

Name: Double Roller Compaction Granulator

Capacity: 0.8-1.5t/hRaw Material: Carbon SteelPower: 11-45kw

Usage: Making Organic Fertilizer Pellets
 Application: Making Compound Fertilizer, chemical

Fertilizer

• Highlight: 45kw Organic Fertilizer Granulation machine,

Double Roller Organic Fertilizer Granulation

machine



Product Description

Cheap Price Double Roller Extrusion Granulator Organic Fertilizer Granulation for Sale

The fertilizer roller granulator machine is a specialized pelletizing equipment designed for materials with a moisture content between 15% and 25% and a certain degree of viscosity. There are a total of 6 products based on the diameter and length of the roller, with an extrusion aperture of 8-16mm, and a granulation capacity of 1-15 tons per hour. The installed power is 7.5-30 kilowatts, which can meet the granulation needs of various materials.

Model	Power(kw)	Granule Diameter(mm)	Roller Sheet Size(mm)	Dimensions(mm)
TDJZ-1T	15	3-10	150*220	1450*800*1450
TDJZ-1.5T	22	3-10	150*300	1450*850*1500
TDJZ-2T	30	3-10	185*300	1630*850*1650
TDJZ-3T	37	3-10	300*300	1850*1100*2050

The choice of different molds:

We have a variety of molds and models for customers to choose, we only support customer customization, we have a professional technical research and development team guarantee.


Material of double roller granulator:

Roll shape: optional flat ball, strip, pillow, irregular, other special shapes, etc.

Roll skin material: ordinary roll skin is made of manganese alloy, stainless steel, Cr12, high manganese steel, etc. can also be customized.

Range of application:

Widely used in fertilizer, medicine, chemicaland other powder raw material granulation. Especially suitable for the production of ammonium bicarbonate, urea, ammonium chloride, ammonium sulfate, potassium chloride, potassium sulfate, salt, compound mixed fertilizer and other granular fertilizers.



Pre-sale:

- 1.Our account manager will communicate with you the product requirements related to your machine.
- 2. We offer free product plans, packaging drawings and 3D renderings to save your budget.
- $3.\mbox{We}$ will provide our own quotation and proof of our machines.
- $4. We have a professional \ R \ \& \ D \ department, to provide you with the most professional technical support.$
- 5. We can make granulation experiment according to your raw materials.

FAQ:

1. Are you trading company or manufacturer ?

We are a manufacturer with a history over 40 years and have realized one-stop service for design, manufacture, installation, debugging and technical training.

2. How long is the delivery time?

For standard machines or Components, it would be 5-10 days; For non-standard machines and customized machines according to clients specific requirements, it would be appointment time.

3. Do you arrange shipment for the machines?

Yes, we will do that. For FOB or CIF price, we will arrange shipment for you. For EXW price, we will assist you in arranging shipment.

4. How about your product after-sales service?

Normally we provide video and written technical support. If necessary, our engineers can also provide on-site service. Our product accessories can be selected according to the actual needs of the customer to choose the most appropriate way to deliver.

5. What kinds of certificate you have?

ISO 9001: 2015 SGS and we can make other certificates according to customers' detailed requirements.

6. How to guarantee the quality and operation before loading?

We have our own quality control department and have advance quality control stystem while from raw materials to finished products. All the machines and production lines shall be 100% checked and tested before delivery.



+8618538527111

admin@hntdfertilizermachine.com

organicfertilizerequipment.com

Xingyang Longgang Development Zone